

**Unique Plan Description: ICU Midwest Transplant Donation VC**  
**Plan Selection Display: ICU Midwest Transplant Donation VC**  
**Plan Synonyms: Standard Deceased Donor Management Orders**  
**PlanType: Medical**

**Version: 1**

**Begin Effective Date: 8/27/2013 15:20**

**End Effective Date: Current**

**Available at:** *Ascension Health*  
*VC Rehab Hosp*  
*VCH Behav Hlth*  
*VCH HH Hospice*  
*VCH Select*  
*VCH St Francis*  
*VCH St Joseph*  
*VCH St Teresa*  
*VCHSJ Assess*  
*VCHSJ SBH*  
*VCHST IP Rehab*

### **ICU Midwest Transplant Donation VC**

#### **Patient Care**

- Vital Signs  
*T;N, q1hr, Monitor EKG, HR, MAP, ABP, CO, CI, SVV, CVP, SpO2, and temperature (please place probe – record hourly (DEF)\**  
*T;N, Record vital signs every 15 minutes if weaning or adding vasopressors.*
- Warming Blanket  
*T;N, Keep core temperature between 36.1C (97F) and 37.2C (99F)*
- Urinary Catheter Insertion  
*T;N, Foley catheter to dependent drainage*
- Intake and Output  
*T;N, q1hr*
- Nasogastric/Orogastric Care  
*T;N, OG tube to low intermittent suction*
- Bedrest Care  
*T;N, Rotation Module*
- Blood Glucose Monitoring POC  
*T;N, every 1 hour if on insulin and every 2 hours if not on insulin*

#### **Activity**

- Elevate Head of Bed  
*T;N, 30 - 45 degrees*

#### **Diet/Nutrition**

- NPO  
*T;N*

#### **Medications**

- ocular lubricant ophthalmic solution  
*2 drops, Eye-Both, Form: Soln-Oph, q1hr, PRN Dry Eyes*
- Synthroid  
*20 mcg, IV Push, Form: Syringe, Once*
- Solu-MEDROL  
*500 mg, IV Piggyback, Once, Form: Vial*
- vecuronium  
*10 mg, IV Push, Form: Injection, Once*  
*Comments: give just prior to Narcan*
- Narcan  
*8 mg, IV Push, Form: Injection, Once*

*Comments: give just after vecuronium*

### Laboratory

- Urinalysis with Culture if Indicated  
*Urine, Stat collect, T;N*
- Phosphorus Level  
*Blood, Stat Collect, T;N*
- Magnesium Level  
*Blood, Stat Collect, T;N*
- Fibrinogen Level  
*Blood, Stat Collect, T;N*
- GGT  
*Blood, Stat Collect, T;N*
- Hepatic Function Panel  
*Blood, Stat Collect, T;N*
- PT/PTT  
*Blood, Stat Collect, T;N*
- Troponin  
*Blood, Stat Collect, T;N*
- CBC  
*Blood, Stat Collect, T;N*
- Urine Culture  
*Urine, Stat collect, T;N*
- A1 Antigen  
*Blood, Routine Collect, T;N*
- Sputum Culture and Smear  
*Sputum, Routine collect, T;N*
- Gram Smear  
*Sputum, Routine collect, T;N*
- LDH  
*Blood, Stat Collect, T;N*
- Lipase Level  
*Blood, Stat Collect, T;N*
- Amylase Level  
*Blood, Stat Collect, T;N*
- \*\*\*Please add A1 Antigen test to ABO/Rh comments, if indicated\*\*\* (NOTE)\*
- BB Type and Screen Tube(SUB)\*
- Blood Cultures x2(SUB)\*

### Diagnostic Tests

- XR Chest 1 View Frontal  
*T;N, Stat, Reason: evaluate for line placement, heart size, and lung fields*  
*Comments: To be read by radiologist*

### Respiratory

- Pulse Oximetry  
*T;N, Continuous SpO2 monitoring, titrate to keep SpO2 greater than 93%*
- Chest Physiotherapy  
*T;N, PRN for 2 hr*
- Lung Recruitment Maneuver  
*T;N, Recruitment maneuvers every 2 hrs PRN, check with MTN Coordinator for settings*
- Ventilator Settings(SUB)\*

### Consults/Referrals

- Consult to MD  
*T;N, Arterial line and central venous line placement – if not already placed*

- Consult to MD  
*T;N, consult for Bronchoscopy*

**Communication Orders**

- Communication Order  
*T;N, Please call RT to inform them of donor status*
- Communication Order  
*T;N, Contact OR staff to order supplies for lymph node dissection*
- Communication Order  
*T;N, Discontinue ETCO2 Monitor*

**\*Report Legend:**

DEF - This order sentence is the default for the selected order

GOAL - This component is a goal

IND - This component is an indicator

INT - This component is an intervention

IVS - This component is an IV Set

NOTE - This component is a note

Rx - This component is a prescription

SUB - This component is a sub phase